

ZR 200



FORDONSSPECIFIKATIONER

MOTOR

	ZR 200 ES
Engine Type	200, 4-Stroke
Displacement ?	192cc
Cooling ?	Air
Cylinders ?	1
Bore x Stroke ?	70 x 50 mm
Lubrication ?	Oil Sump
Ignition	CDI
Engine Stator Output ?	96W @ 3000 RPM
Fuel Delivery ?	BS-25 Carburetor
Exhaust	Muffler
Fuel Capacity	8.3 L
Oil System Capacity	0.56 L
Coolant System Capacity	N/A
Minimum Octane ?	87

DRIVLINA

	ZR 200 ES
Drive Clutch ?	Arctic 13.3 cm Diameter (RPM Sensing)
Driven Clutch ?	17 cm Diameter Arctic (Roller Cam)
Drive System	Arctic 200 Drive System
Brakes	Hydraulic Brake/ Disc on Driveshaft
Clutch Calibration ?	0-1,524 m
Gearing	N/A
Chain Pitch	N/A
Track Drive Sprocket ?	5 Tooth, 6.58 cm Pitch, Exvolute
Reverse	N/A

FJÄDRING

	ZR 200 ES
Front Suspension	AWS
Ski Shocks	Hydraulic Twin Tube
Sway Bar ?	N/A
Front Travel	11.4 cm.
Rear Suspension	Slide-Rail, Adjustable Torsion Spring, Coil-Over Rear Shock
Front Track Shock	N/A
Rear Track Shock	Hydraulic Twin Tube
Rear Travel	21.6 cm

DIMENSIONER

	ZR 200 ES
Overall Chassis Length	213 cm
Overall Chassis Width	89-94 cm
Overall Chassis Height	91 cm
Track Type	Cobra™
Track Width	25.4 cm
Track Length	236 cm
Lug	25 mm
Pitch ?	6.58 cm
Ski Stance	75-80 cm Adjustable
Ski Type/Width	Youth - 12.7 cm
Runner Type	Single Runner

INSTRUMENTERING

	ZR 200 ES
Type of Gauge	Digital/Analog
Speedometer	Standard
Tachometer ?	N/A
Odometer	N/A
Fuel	N/A
Oil	N/A

	ZR 200 ES
Coolant	N/A
Clock	N/A
Battery Voltage	N/A
Altimeter	N/A
Hours	N/A

FUNKTIONER

	ZR 200 ES
Color	Medium Green/Black
Heat Exchanger 	N/A
Starter	Electric-Key
Handlebars	Straight
Lighting	Halogen 1-Bulb
Seating	Youth 200
Standard Accessories	Hand Warmers, Tether Switch, Standard Steering, Standard Brake Disc, Youth Front Bumper
Windshield	10 cm. Low-Height

Fordonsspecifikationer kan ändras.